Infosafe No™	LQ3HB Issue Date : July 2014 ISSUED by MILL-ROSE		
Product Name	me PINK/RED PLUMBERS/INDUSTRIAL TAPE		
1. Identification			
GHS Product Identifier	PINK PLUMBERS/INDUSTRIAL TAPE		
Company Name	Mill-Rose		
Address	7310 Corporate Blvd		
	Mentor, Ohio 44060		
	USA		
Telephone/Fax	Tel: (440)9746730		
Number	Fax: (440)2551072		
Recommended use of the chemical and	Industrial tape.		
restrictions on use			
2. Hazard Identific	ation		
Classification of the	Not classified as Hazardous according to the Globally Harmonised System		
substance or mixture	of Classification and labelling of Chemicals (GHS) including Work, Health		
substance of inixture	and Safety regulations, Australia.		
	Not classified as Dangerous Goods according to the Australian Code for		
	the Transport of Dangerous Goods by Road and Rail. (7th edition)		
3. Composition/inform	mation on ingredients		
Information on This product contains the following			
Composition	ingredients: -Polytetrafluoroethylene -Distillates (petroleum), hydrotreated		
	light -Pigment		
Ingredients	Name CAS Proportion		
	Ingredients determined 100%		
	not to be hazardous		
4. First-aid measur	es		
Inhalation	Not considered a potential route of exposure. However, if inhaled, remove		
	affected person from contaminated area. Keep at rest until recovered. If		
.	symptoms develop and/or persist seek medical attention.		
Ingestion	Unlikely due to form of product. However, if ingested, do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical		
	attention.		
Skin	Wash affected area thoroughly with soap and water. If symptoms develop seek		
Eve contect	medical attention.		
Eye contact	Not considered a potential route of exposure. However if in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing		
	for several minutes until all contaminants are washed out completely. If		
	symptoms develop and persist seek medical attention.		
First Aid Facilities	Eyewash and normal washroom facilities.		
Advice to Doctor	Treat symptomatically.		
Other Information	For advice in an emergency, contact a Poisons Information Centre (Phone:		
	Australia 131 126) or a doctor.		
5. Fire-fighting mea	asures		
Suitable	Use carbon dioxide, dry chemical or foam.		
extinguishing			
media Hazards	Under fire conditions this product may emit toxic and/or irritating fumes,		
from Combustion	smoke and gases including carbon monoxide, carbon dioxide, hydrogen		
Products Specific hazards	fluoride and oxides of nitrogen. Combustible. This product will readily burn under fire conditions.		
arising from the	compassible. This product will readily buin under file conditions.		
chemical			
Decomposition	Not available		
Temp.			
Precautions in	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated		
connection with Fire	in positive pressure mode and full protective clothing to prevent exposure		
	to vapours or fumes. Water spray may be used to cool down heat-exposed		

Page: 2 of 5

 Infosafe No™
 LQ3HB
 Issue Date : July 2014
 ISSUED by MILL-ROSE

 Product Name
 PINK PLUMBERS/INDUSTRIAL TAPE

 containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. Accidental releas	se measures
Personal precautions,	Wear appropriate personal protective equipment and clothing to prevent
protective equipment	exposure. Collect the material and place into a suitable labelled container.
and emergency Dispose of waste according to the applicable local and national regulation	
procedures	contamination of sewers or waterways occurs inform the local water and waste
•	management authorities in accordance with local regulations.
7. Handling and stor	age
Precautions for	Avoid exposure. Use only in a well ventilated area. Keep containers
Safe Handling	tightly closed. Prevent the build up of dusts, mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing
	hands prior to eating, drinking, smoking or using toilet facilities.
Conditions for safe	Store in a cool, dry, well-ventilated area, out of direct sunlight. Ensure that
storage, including any incompatabilities	storage conditions comply with applicable local and national regulations.
Handling	Recommended operating temperatures: -260°C to

Temperatures StorageTemperatures+260°C Store below 260°C.

8. Exposure controls/personal protection

Occupational	No exposure value assigned for this material by Safe Work, Australia. However,			
exposure limit values	the available exposure limits for decomposition products are given below:			
	Safe Work, Australia Exposure Standards:			
	Substance TWA STEL NOTICES ppm mg/m ³ ppm mg/m ³			
	Hydrogen fluoride 3 2.6 Peak Limitation			
TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day for a five-day week. STEL (Short Term Exposure Limit): The average airborne concentration over 15 minute period which should not be exceeded at any time during a normal eight-hour workday. Peak Limitation: A ceiling concentration which should not be exceeded or a measurement period which should be as short as possible but not exceeded 15 minutes. Biological No biological limits allocated.				
Limit Values Appropriate	Use with good general ventilation.			
engineering controls Respiratory Protection Eve	None required, when used as intended.			
Protection	None required, when used as intended.			
Hand Protection	None required, when used as intended.			
Body Protection	Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended.			

9. Physical and chemical properties

Appearance	Solid polymeric film
Colour	Pink
Odour	Odourless
Decomposition Temperature	Not available

Infosafe No™ LO3HE	Info	safe	Notm	LQ3HE
--------------------	------	------	------	-------

Issue Date : July 2014

ISSUED by MILL-ROSE

Product Name **PINK PLUMBERS/INDUSTRIAL TAPE**

Melting Point	Not available
Boiling Point	Not available
Solubility in Water	Insoluble
Specific Gravity	2.1
рН	Not applicable
Vapour Pressure	Not applicable
Vapour Density (Air=1)	Not available
Evaporation Rate	Not available
Odour Threshold	Not available
Viscosity	Not applicable
Partition Coefficient: n-octanol/water	Not available
Flash Point	Not applicable
Flammability	Not flammable
Auto-Ignition Temperature	Not self igniting
Explosion Limit - Upper	Not applicable
Explosion Limit - Lower	Not applicable

10. Stability and reactivity

<u> </u>	5	
Reactivity	Reacts with incompatible materials.	
Chemical Stability	Stable under normal conditions of storage and handling.	
Conditions to Avoid	Heat and sources of ignition. Temperatures >260°C without adequate ventilation.	
Incompatible	Strong oxidising agents. Alkali metals, extremely potent oxidisers e.g.	
Materials	fluorine, chlorine tri-fluoride, 80% NaOH or KOH, metal hydrides such as boranes (e.g. B2H6) aluminium chloride, ammonia, certain amines (R-NH2) imines (RH-NH) and 70% nitric acid at temperatures near 260°C. Do not use on oxygen lines.	
Hazardous	Thermal decomposition may result in the release of toxic and/or	
Decomposition	irritating fumes including carbon monoxide, hydrogen fluoride and carbon	
Products	dioxide. Carbonyl fluoride is the main decomposition product formed when PTFE is subjected to extended exposure at normal sintering temperatures (400°C). Carbonyl fluoride is immediately converted to highly corrosive hydrogen fluoride in the presence of moist air.	
Possibility of	Reacts with incompatible materials.	
hazardous reactions		

11. Toxicological Information

Toxicology	No toxicology data available for this product.
Information	No toxicity was observed in male/female rats fed PTFE (up to 25%) for 90 days. Local sarcomas were induced in mice and rats implanted subcutaneously or intraperitoneally with PTFE. However, this is not considered relevant to
Ingestion	normal industrial usage. Ingestion unlikely due to form of product. Ingestion of this product may
ingestion	irritate the gastric tract causing nausea and vomiting.
Inhalation	No adverse effects expected. The material is not normally an inhalation hazard at temperatures below 260°C as it remains an inert solid. However, exposure to thermal degradation products at temperatures above 260°C or fumes from tobacco contaminated with particles of the product may result in polymer fume fever or influenza-like symtoms (chills, headaches, difficulty in breathing and fever).
	Symptoms may appear several hours after exposure but will disappear within
P. 1. P. 1. 10/07/0014	

Infosafe No™ LQ3HB	Issue Date : July 2014	ISSUED by MILL-ROSE
--------------------	------------------------	---------------------

Product Name **PINK PLUMBERS/INDUSTRIAL TAPE**

Skin	24-48 hours. There are exposure standards for decomposition products. May be irritating to skin. The symptoms may include redness, itching and swelling.
Eye	Eye contact may cause mechanical irritation. May result in mild abrasion.
Respiratory sensitisation Skin	Not expected to be a respiratory sensitiser.
Sensitisation	Not expected to be a skin sensitiser.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Polytetrafluoroethylene is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).
Reproductive	Not considered to be toxic to reproduction.
Toxicity STOT- single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated	Not expected to cause toxicity to a specific target organ.
exposure	
Aspiration Hazard	Not considered to be an aspiration hazard.

12. Ecological information

Ecotoxicity	No ecological data are available for this material.
Persistence and degradability	Not available
Mobility	Not available
Bioaccumulative	Not available
Potential	
Other Adverse	Not available
Effects	
Environmental	Prevent this material entering waterways, drains and sewers.
Protection	

13. Disposal considerations

Disposal	The disposal of the spilled or waste material must be done in accordance with
Considerations	applicable local and national regulations.

14. Transport information

Transport	Road and Rail Transport
Information	Not classified as Dangerous Goods according to the Australian Code for the
	Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).
	Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International
	Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
IMDG Marine pollutant	Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air. No

Regulatory Information	Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
Poisons Schedule	Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). Not Scheduled

Page: 5 of 5

Infosafe No™ LQ3HB Issue Date : July 2014

ISSUED by MILL-ROSE

Product Name PINK PLUMBERS/INDUSTRIAL TAPE

Date of	SDS Created: July 2014
eparation or last vision of SDS	
iterature	Preparation of Safety Data Sheets for Hazardous Chemicals Code of
eferences	Practice. Standard for the Uniform Scheduling of Medicines and Poisons. Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Workplace exposure standards for airborne contaminants, Safe work Australia. American Conference of Industrial Hygienists (ACGIH). Globally Harmonised System of classification and labelling of chemicals. End Of MSDS

© Copyright ACOHS Pty Ltd Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The

compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.